AMSCO® Flexmatic® Scrub Sink

Convenient. Durable. Clean.

STERIS Heavy Gauge Stainless Steel Scrub Sinks

STERIS

AMSCO® Flexmatic® Scrub Sink

CONVENIENCE WITH THE PUSH OF A KNEE

Efficient hand washing starts with hands free water and soap control. Knee-activated panel turns the water on and off and dispenses the right amount of soap every time.

OPTIMUM WATER TEMPERATURE

The built-in thermostatically controlled mixing valve provides water temperatures of up to 115° F (46° C) to prevent scalding.

Optional digital timer

Optional infrared sensor

Optional divider

- Timed scrubbing - optional digital timer ensures adequate scrubbing time
- Optional infrared sensor turns water on and off
- Upgradeable knee-operated internal soap dispenser
- Optional integrated eye wash station
- **Available models:** 1, 2 or 3 station

Optional laminar flow head with optional eye wash

TECHNICAL SPECIFICATIONS

Models	AMSCO Flexmatic Scrub Sink		
	1-station	2-station	3-station
Dimensions (W x D x H)	32 x 27 9/32 x 51 1/2" (813 x 692 x 1308 mm)	64 x 27 9/32 x 51 1/2" (1626 x 692 x 1308 mm)	96 x 27 9/32 x 51 1/2" (2438 x 692 x 1308 mm)
Laminar flow faucet head	optional	optional; both faucets would have same style head	optional; all faucets would have same style head
Eye wash station attachment*	optional	optional; can be attached to either left or right faucet	optional; can be attached to any of the three faucets
Infrared water control	optional	optional	optional
Foot pump soap dispenser	optional	optional; recommend one for each station	optional; recommend one for each station
Knee-operated internal soap dispenser	optional	optional	optional
Digital timer	optional	optional	optional
Divider screen	N/A	optional	optional
Temperature safety	≤ 115°F (46°C)	≤ 115°F (46°C)	≤ 115°F (46°C)

*Faucet-mounted eye wash stations (regardless of manufacturer) require two motions to operate them (turn water on, pull knob) and thus do not meet the provisions of ANSI Z358.1-2004; these are intended as supplemental installations to other dedicated eye washing stations.

For more information, contact your STERIS representative or visit www.steris.com.

STERIS
5960 Heisley Road
Mentor, OH 44060-1834 · USA
800-548-4873
www.steris.com

Document # M4043EN-2020.01, Rev. C
©2020 STERIS
All rights reserved.